An Addiction Meta-Framework Bridging Theory and Practice

Abstract

The fragmentation of addiction theory has long posed challenges for clinical coherence and outcome consistency. Competing models often emphasize narrow etiologies or philosophical frameworks, leaving clinicians and clients without a unified understanding of how addiction forms or how recovery unfolds. The Cascading Model of Addiction seeks to address this gap.

By synthesizing the most functional aspects of six leading models - the Bio-Psycho-Social, Neuroscience, Cognitive-Behavioral, Learning/Habit, Social, and Spiritual models - this hybrid framework provides a multidimensional and actionable approach to treatment. This paper presents the Cascading Model as both an integration of theory and a bridge to practice, improving measurability, restoring agency, and enhancing recovery outcomes.

Introduction

Modern addiction science is rich with insight but fractured by specialization. Models that address biology, psychology, behavior, morality, or spirituality each provide compelling but partial explanations of addictive phenomena. The consequence is a theoretical siloing that too often translates into rigid treatment doctrines and philosophical rivalries.

In response, the Cascading Model of Addiction offers a hybrid alternative: a system that draws from multiple domains and organizes them into a progressive, developmentally anchored framework. In doing so, it not only reflects the complexity of addiction but also provides a clearer pathway to recovery.

Core Design and Theoretical Integration

The Cascading Model of Addiction (Figure-1 below) is based on the premise that addiction is not a static label or isolated condition but a dynamic, evolving interaction between risk, reinforcement, identity, and neuroadaptation. The model borrows strategically from six established and popular theoretical models:

1. **Bio-Psycho-Social-Spiritual Model**: Serves as the structural backbone, with explicit emphasis on genetics (and epigenetics), psychological beliefs and behaviors, environmental conditioning, and social disorientation. These elements form the "Core Risk Factors" from which addiction cascades.
2. **Social Model**: Frames both causal risk and disorientation within social environments, attachments, and relational meaning. Based on community inputs, a person forms beliefs about self and life which become guideposts for responding to life's stressors.

Copyright © 2025 Narratives Coaching

These responses begin as (or look like) seeking pleasure but can shift into escaping and coping, eventually manifest as surviving instead of thriving. These response patterns quickly normalize as maladaptive habits.

3. **Cognitive-Behavioral Model**: Established within the context of irrational thinking patterns and learned behaviors, this model provides a lens for understanding how maladaptive habits form into the typical addiction cycle of triggers, fantasy, ritual, acting out, relief, avoidance (denial) and despair. It also shapes the mechanisms for interrupting and restructuring maladaptive habit patterns through skill-building, thought restructuring, trigger awareness, and relapse prevention.



Figure 1: The Cascading Model of Addiction

4. **Neuroscience Model**: Informs the bottom-left tier of the cascade, where desensitization drives tolerance and the brain is changed in structure and function through neuroplastic habituation. This brain change is a consequence of the addiction habit, not the cause, and leads to increased compulsivity, obsessive thinking, and the phenomenon of craving.

5. **Learning/Habit Model**: Introduces the crucial transition from the adaptive cue-routine-reward cycle to the maladaptive trigger-ritual-relief loop. This change is consistent with the Incentive Salience shift from liking to wanting (Berridge & Robinson, 2016), as well as Lewis's (2017) "addiction is development" model, allowing for behavioral learning theory to be re-applied toward positive habit transformation.

6. **Spiritual Model**: Embedded in the outer layer of the framework, spiritual disconnection and reconnection serve as both causes of despair and catalysts for wholeness. Recovery is framed as more than abstinence—it is a return to purpose and meaning.

Unique Contributions and Clinical Utility

Where the Cascading Model excels is not just in what it includes, but how it organizes and operationalizes that content:

- **Narrative Identity as Integrator**: The model situates "Life Narratives" and "Beliefs About Self and Life" as the interpretive filters that determine whether experiences lead to transformation or reinforcement of addiction. It uniquely leverages both Narrative and Positive Psychology to reframe identity as both a risk factor and recovery asset.
- **Agency and the Opportunity Space for Change**: Rather than viewing agency as binary (you have it or you don't), the model introduces a scalable construct: the *Opportunity Space for Change*. This highlights the precise window between trigger and ritual where new behavior can be inserted and identity reshaped. This is also the space where 'stories' live, are retold in unique ways, and can be reframed as assets to agency.
- **Developmental Arc**: Paired with the 12 Dimensions of Recovery (Appendix A) the model defines recovery not by abstinence alone but by growth, reintegration, accountability, and purpose. It reframes relapse as a developmental delay, not a moral failure, and a data point which is useful for learning and making adjustments.
- **Clinical Measurability**: Each zone of the cascade (risk, causality, neuroadaptation, behavior, and narrative) can be mapped to specific interventions and tracked for progress, enabling more tailored, modular treatment plans.

Contrast with Other Models

Unlike the Disease Model, which may foster passivity, or the Moral Model, which may induce shame, the Cascading Model treats addiction as both highly conditioned and highly transformable. It avoids false dichotomies such as 'disease vs. choice' or 'biology vs. behavior', embracing the idea that addiction is sequential, cumulative, and multivalent. It also avoids the abstraction of the Public Health Model by retaining individual responsibility and therapeutic direction with sovereignty.

Conclusion

The Cascading Model of Addiction represents a next-generation synthesis of addiction science, human development, and identity psychology. By hybridizing the best of what each major model offers and sequencing them into a coherent, developmental pathway, it improves our ability to treat the whole person without historical stigma. It restores agency, clarifies intervention points, and offers a roadmap for clinicians seeking to produce more consistent, measurable, and meaningful recovery outcomes.

Copyright © 2025 Narratives Coaching

Appendix A: The 12 Dimensions of Recovery (Generically)

These twelve dimensions represent a developmental arc, not a fixed sequence. They are emergent milestones in the process of recovering agency (self-will), purpose, and identity. Each dimension stands on its own, but taken together, they offer a panoramic view of what full recovery can entail. Each of the 12 Dimensions represents a form of recovery capital.

1. **Recognition and Acceptance** – This is the catalytic moment when a person becomes willing to admit there is a problem. Often prompted by crisis or loss, this dimension marks the psychological shift from denial to awareness and from resistance to readiness.
2. **Immersion in Supportive Community** – Recovery rarely happens in isolation. This stage emphasizes connection with a safe, affirming peer group or recovery network that offers accountability, empathy, and shared experience. It re-establishes belonging.
3. **Physical Separation from Substance or Behavior** – Creating physical and environmental distance from the addictive pattern is essential early on. This may involve detox, residential treatment, moving, or changing routines to reduce exposure to triggers.
4. **Detox (if needed)** – For those with physiological dependence, medically supervised detoxification is crucial. It manages withdrawal symptoms and prepares the body and brain for stabilization and learning. See Appendix A for more information.
5. **Stabilization of Sobriety** – As initial withdrawal subsides, this stage focuses on building daily structure, sleep hygiene, nutrition, emotional regulation, and learning how to tolerate cravings without relapse. It's the beginning of functional recovery.
6. **Cleaning Up Messes** – Addiction often leaves behind a trail of disruption. This dimension is about facing consequences, whether legal, financial, or relational, and beginning to take responsibility for past actions.
7. **Learning How Not to Make New Messes** – This is the skills-training phase. Clients begin developing tools for managing emotions, relationships, setbacks, and responsibilities. It's the proactive counterpart to Dimension 6.
8. **Making Amends and Restitution** – Emotional and moral repair begins here. This may involve direct apologies, repaying debts, rebuilding trust, and extending accountability to those harmed. It's tied deeply to regaining personal dignity.

Copyright © 2025 Narratives Coaching

9. **Future Goal Setting and Planning** – With stabilization in place, recovery pivots toward purpose. Individuals begin to dream again, setting vocational, educational, spiritual, or relational goals that give life direction and momentum.
10. **Identity Reconstruction** – Recovery is no longer about 'not using'; it becomes about becoming. This stage involves shifting from an addict-based identity to a strengths-based, values-driven self-concept that supports long-term flourishing.
11. **Processing Trauma and Resolving Root Issues** – Many people use substances or behaviors to manage unresolved pain. This dimension allows for safe therapeutic work on past trauma, abandonment, adverse experiences, or systemic harm, without destabilizing sobriety.
12. **Freedom into Wholeness** – Recovery is now integrated. The person no longer lives in fear of relapse nor defines themselves by their past. Instead, they are rooted in agency, contribution, and well-being. Recovery is a chapter in their story, not the title.

This model accommodates abstinence, moderation and harm reduction, making room for spiritual, behavioral, or medical progress. Not every recoveree requires each step; this is a learning and development process like any other – take what you need and leave the rest.

References

Berridge, K. C., & Robinson, T. E. (2016). Liking, wanting, and the incentive-sensitization theory of addiction. *The American psychologist*, *71*(8), 670–679. https://doi.org/10.1037/amp0000059

Lewis M. (2017). Addiction and the Brain: Development, Not Disease. *Neuroethics*, *10*(1), 7–18. https://doi.org/10.1007/s12152-016-9293-4

Copyright © 2025 Narratives Coaching